U.S. Serial No.: Unassigned

Amendments to the Claims:

1. (Currently Amended) A method for conditional displaying of an electronic message comprising at least one

display condition for the message in a portable electronic device (1),

characterized by the steps of:

receiving in the portable electronic device (1) the message from an external device;

determining in the portable electronic device (1) the geographical position of the portable electronic device;

determining in the portable electronic device (1) whether the geographical position fulfills a geographical

display condition of the message; and

displaying the message in the portable electronic device (1) if the at least one display condition is fulfilled.

2. (Currently Amended) The method according to claim 1, wherein the step of determining whether the

geographical position fulfills the geographical display condition comprises determining whether the portable

electronic device (1) is located within a geographical area specified by the geographical display condition.

3. (Currently Amended) The method according to claim 1 or 2, wherein the step of determining whether the

geographical position fulfills the display condition comprises determining whether the portable electronic device (1)

is located within a certain distance specified by the geographical display condition from the location of another

electronic device, which has transmitted the message.

4. (Currently Amended) The method according to any of the claims claim 1 to 3, further comprising the step of

determining whether a time limit of a time display condition for indicating a final display time of the message has

lapsed, wherein the step of displaying is executed if said time limit has not lapsed when the geographical display

condition is fulfilled.

5. (Currently Amended) A method for forming an electronic message in an electronic device (1), comprising the

step of entering said message, characterized by the steps of

U.S. Serial No.: Unassigned

entering [[a]] at least one display condition, which is intended for a recipient of the message, comprising a

geographical display condition for conditional displaying of the message;

appending said display condition to said message; and

entering a receiver address to which the message should be sent.

6. (Currently Amended) The method according to claim 5, wherein the step of entering the display condition

comprises the step of entering a geographical area in which the electronic device should be located when the

message is displayed in another electronic device (91), which is the recipient.

7. (Currently Amended) The method according to claim 5, wherein the step of entering the display condition

comprises the step of entering a geographical area in which a portable electronic device (91) to which the message

should be forwarded and which is the recipient, should be located when the message is displayed.

8. (Currently Amended) The method according to claim 5, wherein the step of entering the display condition

comprises the step of entering a certain distance with regard to a specific geographical area, within which a portable

electronic device (91), to which the message should be forwarded and which is the recipient, should be located when

the message is displayed.

9. (Currently Amended) A portable electronic device (1) for displaying an electronic message having at least one

display condition for conditional displaying of the message, comprising display means (10, 13, 35) for displaying

the electronic message, characterized by comprising:

receiving means (14, 17, 30) for receiving the message from an external device;

position determination means (31) for determining the geographical position of the portable electronic

device (1); and

determining means (32) for determining whether the geographical position fulfills a geographical display

condition of the message.

10. (Currently Amended) The device according to claim 9, further comprising a message interface (34) adapted to

display the electronic message if the geographical position fulfills the geographical display condition.

U.S. Serial No.: Unassigned

11. (Currently Amended) The device according to claim 9 or 10, wherein the determining means (32) is adapted to,

in operation, determine whether the portable electronic device is within a geographical area specified in the

geographical display condition or within a certain distance therefrom.

12. (Currently Amended) The device according to any of the claims claim 9 to 11, wherein the determining means

(32) is adapted to determine, in operation, whether the portable electronic device (91) is located within a certain

distance from another electronic device (90), from which the electronic message has been transmitted.

13. (Currently Amended) The device according to any of the claims claim 9 to 12, wherein the electronic message

is a notification message.

14. (Currently Amended) The device according to any of the claims claim 9 to 12, wherein the message is an SMS,

an EMS, or an MMS message.

15. (Currently Amended) An electronic communication device (1)-for forming an electronic message therein,

comprising input means (10) for entering the electronic message and at least one display condition for conditional

displaying of the message to be appended to said message, and a message interface (34) forming the electronic

message, characterized-in that wherein

the message interface is adapted to append to the electronic message a geographical display condition,

which is intended for a recipient [[o]] of the message; and

the electronic device (1) comprises transmitting means (14, 17, 30) for transmitting the message to an

external device, which is the recipient of the message.

16. (Currently Amended) The device according to claim 15, wherein the message interface (34) is adapted to

incorporate into the geographical display condition information with regard to a geographical area, in which the

external device should be located when the electronic message is displayed.

17. (Currently Amended) The device according to claim 15, and wherein the message interface (34) is adapted to

incorporate into the geographical display condition information with regard to a certain distance from the electronic

U.S. Serial No.: Unassigned

communication device (1, 90) within which the external device should be located when the electronic message is

displayed.

18. (Currently Amended) The device according to any of the claims claim 15 to 17, wherein the device is a mobile

radio terminal, a pager, or a personal digital assistant, a communicator, a smartphone or an electronic organizer.

19. The device according to any of the claims claim 15 to 17, wherein the device is a mobile telephone (1).

20. (Currently Amended) A software program product embodied on a computer readable medium, comprising

computer readable instructions for carrying out the method according to any of the claims claim 1[[-4]] when carried

out by a processor (32).

21. (Currently Amended) A software program product embodied on a computer readable medium, comprising

computer readable instructions for carrying out the method according to any of the claims claim 5[[-8]] when carried

out by a processor (54).